

# Next Gen Deployments at Skillshare

Building extendable and composable  
pipelines using Codefresh

by Adam Hawkins – Staff SRE




**SKILL**  
**SHARE.**



**SKILL  
SHARE.**

**SKILL  
SHARE.**

# Internal Pod Structure



- ~35 engineers
- ~10 services
- NodeJS & PHP
- AWS, K8s, Helm



# About Me

---

- ~10 years experience
- Currently Staff SRE
- Enable high velocity CD at Skillshare
- @adman65 on Twitter
- Smallbatches.fm podcast





# Business Problem

# The Business Problem

How can we support a growing engineering team?

1

## Secrets Outside SCM

Developers had to go to GUIs to manage secrets then connect back to apps

3

## No Multi-process Support

Current tool did not gel well with 12 factor app model

2

## No Pipelines as Code

All pipelines were managed through a GUI; no way to test changes on a branch

4

## No Extensibility

We can't wait for the vendor to support us because we can move 10x faster

# Where We Started

## A short history lesson




### T-Zero

- No unified deployment pipelines
- No pre-flight checks or smoke tests
- Every service is different
- No standard way to rollback prod

## T-1: Unified CD

Pick a deploy tool; standardized k8s manifests; deploy through chatops



## T-2: One Year Later

We're stable but bumping up against those problems. It's clear we need a different tool, but what?



Skillshare <> Codefresh Introduction



**Steven Chung** <steven.chung@codefresh.io>

to me ▾

Hi Adam,

My name is Steven from [Codefresh](#) - I hope you and your family are safe and healthy during these times.



## T-3: Meet Codefresh


Demo looks like it will solve all our problems, but we need proof.



# Onward to a PoC

Proove support for our current and next requirements

# The Proof-of-Concept Pipeline



# Creating a sandbox made of 7 services



INITIALIZING PROCESS	2 min 52 s
<b>PREPARE</b>	
Sanity Checks	12 s
Sandbox variables	7 s
hubectl	11 s
Clone	43 s
skilshare	43 s
skilshare-api	8 s
skilshare-web	8 s
api-gateway	7 s
membership	6 s
analytics-router	7 s
nginx-router	6 s
Generate Manifests	33 s
analytics-router	49 s
skilshare-web	50 s
skilshare-api	50 s
skilshare	51 s
nginx-router	50 s
membership	51 s
api-gateway	49 s
<b>PREFLIGHT</b>	
Kubeval	27 s
analytics-router	25 s
skilshare-web	26 s
skilshare-api	26 s
skilshare	26 s
nginx-router	27 s
membership	26 s
api-gateway	26 s
Upload assets	2 min 42 s
Perflight Checks	1 min 41 s
analytics-router	40 s
skilshare-web	1 min 40 s
skilshare-api	1 min 27 s
skilshare	32 s
nginx-router	28 s
membership	42 s
api-gateway	51 s
<b>DEPLOY</b>	
rolling_deploy	3 min 42 s
skilshare	45 s
skilshare-api	1 min 0 s
skilshare-web	24 s
nginx-router	54 s
analytics-router	24 s
membership	20 s
api-gateway	3 min 41 s
<b>VERIFY</b>	
Smoke Test	1 min 5 s
analytics-router	22 s
skilshare-web	24 s
skilshare-api	23 s
skilshare	1 min 4 s
nginx-router	22 s
membership	23 s
api-gateway	23 s
<b>WRAP-UP</b>	
Report Success	7 s
Report failure	

Really had to zoom out for this one! 🔍

# Success

OK, let's rock!

1

## Secrets with sops

👉 secrets managed in code

2

## Multi-repo pipeline

Supports our sandbox

3

## Extendable

Canaries, DataDog SLI verification, custom steps, we think; we can do it. 🚀



skillshare/datadog-synthetics

**skillshare/datadog-...**

Execute Datadog snythetics checks

⚡ 342



skillshare/get-deployment-revision

**skillshare/get-...**

Output the rollout version of a Kubernetes deployment

⚡ 110



skillshare/helm

**skillshare/helm**

Helm wrapper with added plugins & sops workaround

⚡ 6.2K



skillshare/kubeval

**skillshare/kubeval**

Run kubeval against the target cluster version

⚡ 5.8K



skillshare/rollback

**skillshare/rollback**

Run 'rollout undo' for Deployment entities in a manife...

⚡ 115



skillshare/rolling-deploy

**skillshare/rolling-...**

Apply a manifest and wait for the deployment rollout to complete

⚡ 5.3K



skillshare/rollout-undo

**skillshare/rollout-undo**

Run rollback undo with a specified revision

⚡ 30



skillshare/run-job

**skillshare/run-job**

Apply a Kubernetes job, wait for completion, then show output

⚡ 12.4K



skillshare/sanity-check-github-de...

**skillshare/sanity-chec...**

Sanity check Github Deployment variables

⚡ 2.5K



skillshare/sanity-check-kubectl

**skillshare/sanity-chec...**

Sanity check kubectl access

⚡ 3.4K



skillshare/sops-env

**skillshare/sops-env**

Export keys in a sops encrypted file as prefixed env vars

⚡ 9



skillshare/update-deployment-stat...

**skillshare/update-...**

Create a GitHub Deployment Status

⚡ 5K



skillshare/yaml-env

**skillshare/yaml-env**

Export keys in a sops encrypted file as prefixed env vars

⚡ 92

# The Skillshare Step Library

Lego blocks for developers to build pipelines



# skillshare/run-job

[PUBLIC LINK](#)

[skillshare/run-job](#)

12.4K

Apply a Kubernetes job, wait for completion, then show output

Version: 0.1.1 [CHANGE](#)

## Arguments

**KUBE\_CONTEXT** - Kubernetes context

**KUBE\_NAMESPACE** - Kubernetes namespace

**MANIFEST\_PATH**\* - Manifest file containing the Job.

**TIMEOUT** - How long to wait for the job. Default: 5m

```
version: '1.0'
```

```
steps:
```

```
  preflight_check:
```

```
    title: Preflight check
```

```
    type: skillshare/run-job
```

```
    arguments:
```

```
      MANIFEST_PATH: '${CF_VOLUME_PATH}/manifests/preflight_check.yaml'
```

copy to clipboard

```
version: '1.0'
```

```
steps:
```

```
  preflight_check:
```

```
    title: Preflight check
```

```
    type: skillshare/run-job
```


```
    arguments:
```

```
      MANIFEST_PATH: '${CF_VOLUME_PATH}/manifests/preflight_check.yaml'
```

```
      KUBE_NAMESPACE: test
```

```
      KUBE_CONTEXT: test-cluster
```

copy to clipboard




## Preflight Check

Step type: skillshare/ru

COPY TO CLIPBOARD DOWNLOAD LOG FILTER LOG

```
Evaluating: step: validate_manifests must have result one of: success. Step status: success, it evaluates to: true
Continuing execution.
Running plugin preflight_check
Pulling image codefresh/run-job:0.1.1
Layer 'ff3a5c916c92' already exists
Layer 'e0742d2dbac8' already exists
Pulled layer '4aeaf2a7bd40'
Pulled layer '79dd70711275'
Pulled layer '2e7dd3b407ea'
Digest: sha256:4fc89ff9f3745324b7550ad092556c7853ffa4baa80350d75568d419200b9622
Status: Downloaded newer image for [redacted].dkr.ecr.us-east-1.amazonaws.com/codefresh/run-job:0.1.1
=> Diagnostics
-> context: skillshare-utility
-> namespace: tools
-> manifest: /codefresh/volume/manifests/chatops/templates/jobs/preflight_check.yaml
-> timeout: 5m
=> Finding job name
-> $ kubectl --context skillshare-utility -n tools --validate --dry-run apply -f /codefresh/volume/manifests/chatops/templates/jobs/preflight_check.yaml
-> Job=chatops-preflight-check-5f84ba3363cf932fdb2c3159
=> Applying manifest
-> $ kubectl --context skillshare-utility -n tools apply -f /codefresh/volume/manifests/chatops/templates/jobs/preflight_check.yaml
secret/chatops-preflight-check-5f84ba3363cf932fdb2c3159 created
secret/chatops-preflight-check-files-5f84ba3363cf932fdb2c3159 created
configmap/chatops-preflight-check-5f84ba3363cf932fdb2c3159 created
job.batch/chatops-preflight-check-5f84ba3363cf932fdb2c3159 created
=> Waiting 5m for job
job.batch/chatops-preflight-check-5f84ba3363cf932fdb2c3159 condition met
-> Job completed successfully
-> Fetching logs for debugging
-> $ kubectl --context skillshare-utility -n tools logs --all-containers job/chatops-preflight-check-5f84ba3363cf932fdb2c3159
yarn run v1.22.4
```

# Using Codefresh to build, test, and release our step library. 🚀




Parallel on the things! 🤪

Had to zoom out for this one 😊




Initializing Process 5 s

# First automated Terraform deployment at Skillshare





# Composable Pipelines



Use pipelines as team APIs. Want e2e tests in our pipeline? Go ahead and add it.

**SKILL**  
**SHARE.**



## Run a Codefresh pipeline

`codefresh-run`

Run a Codefresh pipeline by ID or name and attach the created build logs.

version: 1.0.2 [CHANGE](#)

### Arguments

- BRANCH** - Branch
- CONTEXT** - Run pipeline with contexts
- DETACH** - Run pipeline and print build ID
- ENABLE\_NOTIFICATIONS** - Report notifications about pipeline execution
- NO\_CACHE** - Ignore cached images
- NO\_CF\_CACHE** - Ignore Codefresh cache optimizations
- ONLY** - run only specific steps
- PIPELINE\_ID\*** - Pipeline name or id
- RESET\_VOLUME** - Reset pipeline cached volume
- SHA** - Set commit sha
- SKIP** - skip specific steps
- TRIGGER\_ID** - Trigger id or name
- VARIABLE** - Set build variables

```
codefresh-run:  
title: Run a codefresh pipeline  
type: codefresh-run  
arguments:  
  PIPELINE_ID: project-name/pip_name  
  TRIGGER_ID: trigger_id  
CONTEXT:  
  - context1  
  - context2  
VARIABLE:  
  - key1=val1  
  - key2=val2
```

copy to clipboard



# Code Samples



Q & A